



**ELEVATORS
BIRLA GROUP**



ELEVATE TO A BETTER LIFE



We are ECE...

"We keep you moving... Always!"

- ✦ Established in 1945, ECE is one of the leading Indian brand name in electrical equipment and elevators with 75 years of enriched experience.
- ✦ The one and only fully integrated manufacturing facility spread over 250,000 square feet in the National Capital Region at Ghaziabad, Uttar Pradesh.
- ✦ A dedicated and in-house research and design team.
- ✦ Pan India field operations spread across India.
- ✦ Hundreds of trained employees and growing, with a product range positioned to address the entire spectrum of the Indian market.
- ✦ ECE Elevators are **Made in India** and our vision is to be the most admired Indian elevator company.
- ✦ ECE brings to the industry speed, agility, reliability and the human touch. We understand India better than most.
- ✦ ECE team is committed to its customers, users and the environment.

BUILT FOR SUSTAINABILITY

Elita is the high end solution for the luxurious high-rise buildings today. With its top-notch technology, Elita is tailor made for the sleekest of constructions.

Elita is a premium gearless elevator, travels at high speeds, has best in class ride quality, is environment friendly and a perfect fit for modern green buildings.

SUSTAINABILITY

Green Technology – Elita is inspired by green technology, incorporating latest innovations in design and manufacturing

Energy Efficiency: Equipped with latest 5th Generation Permanent Magnet Synchronous Motor, latest generation variable voltage variable frequency integrated drive, LED lighting, which delivers significant energy savings.

LUXURY

Best in class smooth and comfortable ride at high speeds coupled with exquisite interiors, making Elita a premier choice in the luxury segment.

BUILD TO SUIT

Elita is for the fashionable, the trendy and we endeavour to customise it for your special taste.

Application Range (MR) : Gearless Machine

Passenger		8	10	13	15	16	20
Loads (Kgs)		544	680	884	1020	1088	1360
Max Travel Height (Meters):		75 / 90 / 105 / 120					
Max Stops		25 / 30 / 35 / 40					
Speed		1.25mps*/1.5 mps/1.75 mps/2 mps					
Group Size	Simplex						
	Duplex						
	6 Car Group						
Machine Type		Gearless PMSM					
Drive		Variable Voltage Variable Frequency					
Machine Location		Above Hoistway					
SMART CALL STANDARD upto Duplex	Stops	UPTO 16 STOPS					
	1.50 mps	Y	Y	Y	Y	Y	NA
	1.75 mps	Y	Y	Y	NA	NA	NA
	2.00 mps	NA	NA	NA	NA	NA	NA

* Note: 1.25mps is available as ELITA beyond 16 stops

Application Range (MRL) : Gearless Machine

Passenger		8	10	13	15	16	20
Loads (Kgs)		544	680	884	1020	1088	1360
Max Travel Height (Metres):		75 / 90 / 105					
Max Stops		25 / 30 / 35					
Speed		1.25mps* / 1.5 mps / 1.75 mps					
Group Size	Simplex						
	Duplex						
	6 Car Group						
Machine Type		Gearless PMSM					
Drive		Variable Voltage Variable Frequency					
Machine Location		Inside Hoistway					
SMART CALL STANDARD upto Duplex	Stops	UPTO 16 STOPS					
	1.50 mps	Y	Y	Y	Y	Y	NA
	1.75 mps	Y	Y	Y	NA	NA	NA

* Note: 1.25mps is available as ELITA beyond 16 stops

BUILT FOR EFFICIENCY

The green sustainable elevator with PMSM Gearless machine is here to transform your elevator riding experience.

Conceptualized, engineered and developed in India, the Primus in both Machine Room (MR) & Machine Room Less (MRL) version is all set to exhibit the qualities and flexibilities of being truly Indian.

EFFICIENT

Operational cost benefits achieved through energy savings by using a permanent magnet synchronous motor (PMSM) gearless machine, Integrated VVVF Drive and LED lighting.

Sustainability with elimination of polluting lubricant using gearless machine and sealed bearings. Primus brings to fore the best in class life cycle.

Space saving by achieving "Indian Standard" specified car area in minimum shaft sizes. Industry best in class.

TRENDY

Primus is trendy, fashionable and modern, it is designed keeping your need in mind. Equipped with amazing features, it offers you all that you would want in your dream building.

Framed Glass Doors is a standard option available for buildings upto 15 mtrs rise. Primus is available for customized options too.

Application Range (MR) : Gearless Machine

Passenger		5	6	8	10	13	15	16	20
Loads (Kgs)		340	408	544	680	884	1020	1088	1360
Travel Height		48 meters							
Stops		16 Stops							
Speed		1.0 mps / 1.25mps							
Group Size	Simplex								
	Duplex								
Machine Type		Gearless PMSM							
Drive		Variable Voltage Variable Frequency							
Machine Location		Above Hoistway							
SMART CALL STANDARD	1.00 mps	Y	Y	Y	Y	Y	Y	Y	Y
	1.25 mps	Y	Y	Y	Y	Y	Y	Y	NA

Application Range (MRL) : Gearless Machine

Passenger		5	6	8	10	13	15	16	20
Loads (Kgs)		340	408	544	680	884	1020	1088	1360
Travel Height		48 meters							
Stops		16 Stops							
Speed		1.0 mps / 1.25 mps							
Group Size	Simplex								
	Duplex								
Machine Type		Gearless PMSM							
Drive		Variable Voltage Variable Frequency							
Machine Location		Inside Hoistway							
SMART CALL STANDARD	1.00 mps	Y	Y	Y	Y	Y	Y	Y	Y
	1.25 mps	Y	Y	Y	Y	Y	Y	Y	NA

MODEL OF SMART ENGINEERING

Comfort of gearless technology and developed to fulfill requirement of low rise residential buildings with reduced overhead height.

Primus Echo utilizes the space economically and enhances the aesthetic look of the building

SMART ENGINEERING

With all major components located inside the hoistway, the streamlined installation process of Primus Echo enhances the building construction and aesthetics.

PIONEERING

Use of innovative technologies allowed us to redesign key components into a compact integrated unit powered by PMSM gearless machine.

Primus Echo delivers substantially more energy saving than the conventional geared one.

LIFE CYCLE

Primus Echo is a standard product which focusses on bringing in economies of scale for the low rise application and offers industries best in class life cycle.

Application Range (MRL) : Gearless Machine

Passenger		5	6
Loads (Kgs)		340	408
Travel Height (Metres)		18 meters	
Stops		6 stops	
Speed (Metres/Second)		0.65 mps	
Group Size	Simplex		
	Duplex		
Machine Type		Gearless PMSM	
Drive		Variable Voltage Variable Frequency	
Machine Location		Inside Hoistway	
SMART CALL STANDARD		Yes	

BUILT TO BE VERSATILE

Versatile APTO with its new and improved features is a step ahead. Its unique design combines style with comfort and performance, making it a technology that surpasses all expectations.

The versatile APTO is a geared machine room elevator made in India exclusively for buildings that need that special style quotient. What's more, it is a cost effective solution which enhances the look and style of the building.

APTO is designed to meet the challenging demands of your building allowing positive integration with your building aesthetics.

VALUE FOR MONEY

Lowest acquisition cost.
Amazingly low cost of ownership
Optimized and customized shaft dimensions

ROBUST

Apto is a tried and tested robust solution for low and mid rise segment and comes with features like Variable Voltage Variable Frequency as standard.

Application (MR) : Geared Machine

Passenger		4	5	6	8	10	13	15	16	20
Loads (Kgs)		272	340	408	544	680	884	1020	1088	1360
Travel Height		Max 40 meters								
Stops		Max 12								
Speed (MPS)	*0.50									
	0.70									
	1.00									
Group Size	Simplex collective selective									
	Duplex collective selective									
Machine Type		Geared								
Drive		Variable Voltage Variable Frequency								
Machine Location		Above Hoistway								
SMART CALL STANDARD	*0.50 Speed							Y	Y	NA
	0.70 Speed	Y	Y	Y	Y	Y	Y	Y	Y	NA
	1.00 Speed	Y	Y	Y	Y	Y	Y	NA	NA	NA

* For health care segment
Geared automatic door with machine room

ECE - PRIMUS MINI

HOME / VILLA LIFT

The elegant Primus Mini suits the delicate requirement of your Home/ Villa Lift and fits into the space provided, without disturbing the aesthetic look of your home.

Primus Mini offers a sustainable, comfortable and tranquil ride

COMPACT

Reduced overhead and pit in compact hoistway.

Use of single phase input power supply.

STYLISH

Pleasing and modern aesthetics with bubble type curved side panels to compliment the architecture of your home.

Framed Glass Doors is a standard offering.

Application Range (MRL)

Passenger capacity	4
Loads (Kgs)	272
Travel height	12 meters
Stops	Upto 4 stops
Speed	0.2 / 0.4* meter per second
Group size	Simplex full collective
Machine type	PMSM gearless-single phase input
Drive	Variable Voltage Variable Frequency
Machine location	Inside hoistway
SMART CALL STANDARD	Yes

* For select states only



DESIGN DETAILS :

Low Pit, Low Overhead, Single Phase Gearless Machine

Particulars	*S/*O	Details
Car Type	S	Bubble Type Side Panels
	O	Straight Panels
Rear Panel	S	Tree Brown
Side Panels	S	Earth Brown
Ceiling	S	Ceiling-1: Earth Brown
Car Door	S	Glass With Earth Brown Frames
	O	Glass With Stainless Steel Hairline Frames
Landing Doors	S	Glass With Earth Brown Frames
	O	Glass With Stainless Steel Hairline Frames


*S=Standard

*O=Option

Particulars	*S/*O	Details
Flooring	S	Carpet In Beige Colour
COP Type	S	Horizontal Full Depth On Side Panel
COP Display	S	Large 7 Segment White
	O	Scrolling White
LOP Display	S	Large 7 Segment White
	O	Scrolling White
LOP Type	S	Surface Mounted
Buttons Light	S	White Illuminated Micro Push Button
Ceiling Lights	S	Warm Yellow LED Spot Lights

COMPACT / STYLISH

ECE - BREEZY YELLOW




DESIGN DETAILS

Particulars	*S/*O	Details
Car Panels	S	Mild Steel Powder Coated-RAL
Ceiling	S	Ceiling1; Mild Steel Powder Coated-RAL
Ventilation	S	Blower
Hand Rail	S	Round On Rear Side: Mild Steel Powder Coated; Black
Car Door	S	Mild Steel Powder Coated- RAL
Flooring	S	PVC Black Anti Skid
	O	20mm Recess
Skirting	S	Steel Grey
COP Display	S	Large 7 Segment White
	O	Scrolling White
Buttons	S	White Illuminated Micro Push Button
LOP Type	S	Surface Mounted
LOP Display	S	Large 7 Segment White Display
	O	Scrolling White Display
Ceiling Lights	S	Warm Yellow Spot Lights

*S=Standard

*O=Option

ECE - MAGICAL WHITE




DESIGN DETAILS

Particulars	*S/*O	Details
Car Panels	S	Mild Steel Powder Coated-Ivory
Ceiling	S	Ceiling1; Mild Steel Powder Coated-Ivory
Ventilation	S	Blower
Hand Rail	S	Round On Rear Side: Mild Steel Powder Coated; Black
Car Door	S	Mild Steel Powder Coated- Ivory
Flooring	S	PVC Black Anti Skid
	O	20mm Recess
Skirting	S	Steel Grey
COP Display	S	Large 7 Segment White
	O	Scrolling White
Buttons	S	White Illuminated Micro Push Button
LOP Type	S	Surface Mounted
LOP Display	S	Large 7 Segment White Display
	O	Scrolling White Display
Ceiling Lights	S	White LED Spot Lights

*S=Standard

*O=Option

ECE - GLASSY GREY




DESIGN DETAILS

Particulars	*S/*O	Details
Car Panels	S	Mild Steel Powder Coated- Sand Beige
Ceiling	S	Ceiling1; Mild Steel Powder Coated-Sand Beige
Ventilation	S	Blower
Hand Rail	S	Round On Rear Side: Mild Steel Powder Coated; Black
Car Door	S	Mild Steel Powder Coated- Sand Beige
Flooring	S	PVC Black Anti Skid
	O	20mm Recess
Skirting	S	Steel Grey
COP Display	S	Large 7 Segment White
	O	Scrolling White
Buttons	S	White Illuminated Micro Push Button
LOP Type	S	Surface Mounted
LOP Display	S	Large 7 Segment White Display
	O	Scrolling White Display
Ceiling Lights	S	White LED Spot Lights

*S=Standard

*O=Option

ECE - METALLIC MARVEL




DESIGN DETAILS

Particulars	*S/*O	Details
Car Panels	S	Stainless Steel Hairline Finish
Ceiling	S	Ceiling1; Stainless Steel Hairline Finish
Ventilation	S	Blower
Hand Rail	S	Round On Rear Side: Stainless Steel Hairline Finish
Car Door	S	Stainless Steel Hairline Finish
Flooring	S	PVC Black Anti Skid
	O	20mm Recess
Skirting	S	Steel Grey
COP Display	S	Large 7 Segment White
	O	Scrolling White
Buttons	S	White Illuminated Micro Push Button
LOP Type	S	Surface Mounted
LOP Display	S	Large 7 Segment White Display
	O	Scrolling White Display
Ceiling Lights	S	White LED Spot Lights

*S=Standard

*O=Option

ECE - MYSTICAL WOODS



DESIGN DETAILS

Particulars	*S/*O	Details
Centre Panel	S	Earth Brown
Side Panel	S	Tree Brown
Vertical Strips	S	SS Mirror
Ceiling	S	Ceiling 2; Earth Brown, Tree Brown
Ventilation	S	Blower
Handrail	S	Round On Rear Side
Skirting	S	Steel Grey
Car Door	S	Earth Brown
Landing Door	S	Ivory / RAL / Sand Beige
	O	Steel Grey
Front Return Panel	S	Tree Brown

Particulars	*S/*O	Details
Features	S	PVC Black: Anti-Skid
	O	Recess 20 mm (Flooring By Owner)
COP Display	S	Large 7 Segment White
	O	Scrolling White / TFT 4.3" / TFT 7"
Buttons	S	White Illuminated Micro Push Button
LOP Display	S	Large 7 Segment White
	O	Scrolling White
LOP Type	S	Surface Mounted
Ceiling Lights	S	Yellow LED

*S=Standard

*O=Option

STANDARD OPTION

ECE Smart Controller

ECE brings to this industry a IoT based SMART Controller as a standard that aims to benefit all elevator users. This standard offering is a first in elevator industry and will help bring in complete transparency, accountability and improved response times

ECE Smart Controller

IoT based	Smart Diagnostics: Improved elevator uptime, faster response times
GPS Panic Call	Improved Passenger Safety
ECE SmartCall	QR code based touchless call
Group Elevator Management System (GEM)	Cloud Based Elevator View Intelligence

Note:

1. SMART Controller is currently released for lifts upto 1.75mps, 16 stops and duplex control. Balance duties will be released in 2021
2. ECE Smart App is proposed in 2021 which will allow user to register calls, track response times and have contract visibility on a smartphone

ECE - Smart Controller Features

Features / Safety	Elita	Primus	Primus Echo	Apto	Primus Mini
Car Call Cancellation	NA	S	S	S	S
ARD Weak Battery Indicator in COP	S	S	S	S	S
ECE SmartCall	NA	S	S	S	S
GPS Panic Button	NA	O	O	O	O
Automatic Car Light & Fan Control	S	S	S	S	S
Single Phase Slow Speed Commissioning	NA	S	S	S	S
Floor Announcement	O	S	S	S	S
Infrared Door Protection & Door Nudging	S	S	S	S	S
Emergency Car Light & Alarm Button	S	S	S	S	S
Door Open & Close Button	S	S	S	S	S
ARD (Automatic Rescue Device)	S	S	S	O	S
Emergency Fireman Service**	S	S	S	S	S
Load Weighing Device	S	S	S	O	S
Intercom	O	S	S	O	S
Access Control System	O	O	O	O	O
Anti Nuisance Car Call	O	O	O	O	O

S - Standard, O - Optional, NA - Not Applicable **Beyond 15 metres building height

ECE SmartCall

ECE SmartCall

QR based touchless elevator operation




ECE SmartCall

Feature	Scan QR code displayed outside the elevator
	Press the floor you want to reach on smartphone
	Enter the lift on arrival
	The lift will take you to the pre-registered floor number for you to exit

Note: Refer product detail for SmartCall applicability

ECE - FRAMED GLASS DOOR




ECE - Framed Glass Door

1. Framed glass door is a standard feature of Primus Mini and a standard option in Primus and Apto.
2. Customise your elevator with rear side glass to give an open view to the passenger, or all side glass to further enhance the passenger experience.
3. Framed Glass Door Recommended upto 15 mtrs height buildings.

Contact our local sales representative for details.

ACCESSORIES



Landing Operating Panel

Position		On Each Landing
Type	Standard	Surface Mounted
Finish		Stainless Steel Hairline
Indicator	Standard	Large 7 Segment White
	Option	Dot Matrix Scrolling- Square LED White
Button Type	Standard	White Illuminated Micro Push Button
Button Head	Standard	Stainless Steel Round
	Option	Stainless Steel Round With Braille
Illumination	LED	White

Car Operating Panel

Position		Inside On Side Panel
Type		Full Height Integrated In Car Panel
Finish		As Per Car Side Panel Finish
Indicator	Standard	Large 7 Segment White
	Option	Dot Matrix Scrolling- Square LED White
		4.3" TFT
		7" TFT
Button Type	Standard	White Illuminated Micro Push Button
Button Head	Standard	Stainless Steel Round
	Option	Stainless Steel Round With Braille
Illumination	LED	White



Handrail

Material	Mild Steel Powder Coated; Black
Shape	Round




Handrail

Material	Stainless Steel Hairline
Shape	Round



*COP finish/ color as per car design

ACCESSORIES



Ceiling - 1

Finish	Mild Steel Powder Coated/ Stainless Steel Hairline; as per car design
Ventilation	Blower



Ceiling - 2


Finish	Coated Sheet; as per car design
Ventilation	Blower

TOUCH LOP



Touch LOP

Floor Indication Display	White
Background	Blue LCD
Touch Button	Illuminated White
Touch Call Registration	Illuminated Blue



TFT


Feature	4.3"	7"
Floor Indicator Display	Yes	Yes
Background Color Change	Yes	Yes
Time	No	Yes
Temperature	No	Yes
Add Picture	No	Yes
Fireman Operation Display	Yes	Yes

CAR FINISHES


STANDARD - MILD STEEL POWDER COATED



Sand Beige
Semi Gloss Finish



RAL
Semi Gloss Finish



Ivory
Semi Gloss Finish

SPECIAL COATED SHEET FINISHES



Earth Brown




Tree Brown




Steel Grey

SPECIAL METAL FINISHES



Stainless
Steel Honey
Comb



Stainless
Steel
Linen



Stainless
Steel Gold
Finish



Stainless
Steel Copper
Finish



Stainless
Steel Mirror
Finish

SPECIAL COATED SHEETS

- Galvanised Iron (GI) instead of Mild Steel (MS) Anti Rust
 - Better scratch resistant property than powder coated
 - Easy to clean
 - Longer lasting finishes; *120 microns coating
 - Does not leave finger impressions as in case of stainless steel hairline finish
 - Food safe
- *Only for Earth Brown, Tree Brown & Steel Grey (Special Coated Finishes)

NOTE:

- 1) Decorative etched finishes are available as standard options.
- 2) We recommend that our sales representative be contacted to look at samples basis your selection to determine the actual feel and finish.
- 3) Special coated sheets are imported and finishes offered are subject to change at any time basis availability and continuity of raw materials
ECE reserves the right to modify and offer similar or better options.
- 4) Please contact our sales representative for many more customised solutions.



ELEVATORS BIRLA GROUP



NETWORK

- REGISTERED OFFICE
- PLANT
- BRANCH OFFICE
- RESIDENT ENGINEERS



NORTH

DELHI
NEW DELHI
 ECE House Annexe,
 28A, K.G. Marg, New Delhi-110001
 Tel : 011-23314237/38/39, +91-9891194959

UTTAR PRADESH
NOIDA
 G - 90, Sector-63, Noida
 Dist. Gautam Budh Nagar-201301
 Tel : 0120-4545200, +91-9540993076

LUCKNOW
 B-103, Sector-C, Mahanagar,
 Dist. Lucknow-226006
 Tel : +91-8744062753, 0522-4950388

DEHRADUN
 59 Indira Nagar Colony
 Dehradun
 Tel : +91-972099921

PUNJAB
MOHALI
 Plot No. 212A, 1st Floor,
 Janta Land Promoters Ltd Industrial Area,
 Sec-82, Sas Nagar, Mohali-140308
 Tel : +91-7836002244

RAJASTHAN
JAIPUR
 211, Ground Floor Vidyut Nagar,
 Vaishali Nagar, Jaipur-302021
 Tel : +91-9261642110

WEST

MAHARASHTRA
MUMBAI
 Shop No.-20, Mermaid-20,
 Plot No.-52, Mermaid Tower-II.
 Sector-11, CBD Belapur
 Navi Mumbai-400614
 Tel : +91-7834800311, 022-49714083

PUNE
 Plot no-L-9, CTS No-14-4
 Erandwane, CHS Ltd, Opposite
 Dinanath Mangeshkar Hospital,
 Pune-411004
 Tel : +91-8505838883

GUJARAT
VADODARA
 102, Bonny Apartment,
 Behind Baroda Gas Project, Alka Puri,
 Vadodara-390007
 Tel : 0265-2330691, +91-9737006622

VALSAD
 Khushbu Mahal Appartment,
 Ground Floor, G-7, Nr. ST. Stand.
 Valsad-396001
 Tel : +91-9737006622

EAST

WEST BENGAL
KOLKATA
 East Zone, P 46 A, CIT Scheme XLV
 (Behind Lal Bazaar Police H.Q.)
 Radha Bazar Lane Kolkata-700001
 Tel : 033-22256690, +91-9062206389

ASSAM
GUWAHATI
 Barthakur Mill Road By Lane-5,
 Opp: Good Morning Bread Factory
 Ullubari, Guwahati-781007
 Tel.: 91-9864045702

JHARKHAND
RANCHI
 H-62 Argora Housing Colony,
 Ranchi, Jharkhand-834002
 Tel : 033-22256690, 9355786262

ODISHA
BHUBNESHWAR
 Plot No. N-1/224, IRC Village,
 PS-Nayapali, Bhubneshwar-751015
 Tel : 0674-2555684, +91-9090002121

CENTRAL

MAHARASHTRA
NAGPUR
 Plot No.53/C, Sarkar House,
 Near NIT Garden, NIT Layout,
 Ring Road, Trimurti Nagar,
 Nagpur-440022
 Tel : +91-9146017271, 0712-2223661

CHATTISGARH
RAIPUR
 Office No.A2, 1st Floor, Block-A,
 Geekay Milestone,
 New Rajendra Nagar,Raipur
 Tel : +91-9826661549

MADHYA PRADESH
INDORE
 EC-40, SCH No.-94,
 Ring Road, Opp. Hotel Radisson Blu,
 Indore-452010
 Tel : +91-7834800018, 0731-4966375

SOUTH

KARNATAKA
BENGALURU
 #112 & 113, Level 1, Prestige Center Point
 Cunningham Road, Bengaluru-560052
 Tel: 080-42108708, +91-7835033320

MYSURU
 32, 9th Main, 5th block, Jayalakshimpuram,
 Mysuru-570012
 Tel : 0821-4244409, +91-9071978610

HUBLI
 Tapas Mansion, Near Jain Mandir,
 2nd Cross, Hosur, Hubli-580021
 Tel : +91-9071978620

TAMIL NADU
CHENNAI
 No-38/17 Second Floor, Eleventh Street
 Bakhtavachalm Nagar, Chennai-600061
 Tel: +91-9071978609

TELANGANA
HYDERABAD
 Ashok Marg, Sanatha Nagar,
 Hyderabad-570012

ANDHRA PRADESH
 9-7-11/15, Shivajipalem,
 Visakhapatnam-530 017
 Tel: +91-8099799652

Resident Engineer
 » Mangaluru

Resident Engineer
 » Jodhpur » Kota
 » Kanpur

Resident Engineer
 » Ahmedabad
 » Surat

Resident Engineer
 » Siliguri
 » Dhanbad

Resident Engineer
 » Jabalpur
 » Bhopal

REGISTERED OFFICE
 ECE Industries Limited (Elevator Division)
 28/A, Kasturba Gandhi Marg,
 New Delhi-110001.
 Tel : 011-23314237,011-23314238,
 011-23314239,011-32944708

PLANT
 A-20, Industrial Area, Meerut Road,
 Ghaziabad-201001.
 Tel: 0120-2712065,0120-2712037,
 0120-2713843

email
sales@ecelelevators.com

web
www.ecelelevators.com

